Application/Control Number: 10/706,062

Art Unit: \*\*\*

CImpto

June 6, 2005

C.P.

Claim 1 (previously presented): A headlight for use by surgeons comprising:

- a) an adjustable headband for placing on a user's head;
- b) at least two forward-facing, independently movable lamp housings, each comprising at least one light emitting diode (LED), a heat sink, and at least one reflector, disposed adjacent one another within an outer lamp housing disposed substantially centrally on a front side of said headband; and
- c) at least one light emitting diede (hHD) disposed in each of said lamp housings at least two batteries disposed on said headband and operatively connected to said at least one LED, and adapted for independent replacement in a manner such that light output from said at least one LED is maintained during said independent replacement of one of said at least two batteries, said at least two batteries being the sole source of electrical power to said at least one LED.

Claim 2 (currently amended): The headlight as recited in claim 1, wherein said at least two forward-facing lamp housings disposed adjacent one another proximate a central position on a front side of said headband are independently pivotally affixed thereto, whereby light output from each of said at least two LEDs one LED in each of said lamp housings may be converged at a spot a predetermined distance forward therefrom.

Claim 3 (original): The headlight as recited in claim 2, wherein said lamp housings further comprise means for focusing light from said at least one LED.

## Claim 4 cancelled

BEST AVAILABLE COPY-

Claim 5 (currently amended): The headlight as recited in claim 4 1, wherein said at least one reflector comprises a reflector disposed behind said at least one LED and a reflector placed forward of said at least one LED, said reflectors arranged so as to cooperatively gather light output from said at least one LED and project said gathered light in a forward direction.

Claim 6 (original): The headlight as recited in claim 5, wherein said at least one of said reflectors comprises a substantially parabolic shape.

Claim 7 (original): The headlight as recited in claim 2, wherein said adjustable headband comprises means for adjusting said headband to fit any user.

Claim 8 (original): The headlight as recited in claim 2, further comprising means for controlling light output from at least one of said LEDs.

Claim 9 (original): The headlight as recited in claim 8, wherein said means for controlling light output from at least one of said LEDs comprises at least one of the devices: a switch, means for varying the intensity of said at least one LED.

## Claims 10-14 cancelled

Claim 15 (currently amended): The headlight as recited in claim 44 1, wherein said at least two batteries further comprise means for regulating power from said at least two batteries to maintain substantially constant light curput from said at least one LED disposed in said at least two lamp housings.

Claim 16 (original): The headlight as recited in claim 2, further comprising cushioning means disposed proximate an inside surface of said headband.

## Claims 17-22 cancelled

Art Unit: \*\*\*

Claim 23 (previously presented): The headlight as recited in claim 5, wherein said headlight produces a light output having an intensity of approximately 40,000 lux.

Claim 24 (new): The headlight as recited in claim 1, further comprising:

d) a supplemental battery operatively connected to said at least two batteries and disposed apart therefrom.

## Claim 25 cancelled